INVITATION FOR BIDS (IFB)

NATIONAL COMPETIVE BIDDING

TREE CROP EXTENSION PROJECT (TCEP)

LOAN NO: 200000632

PROCUREMENT OF TRACTOR AND ITS IMPLEMENTS

PROCUREMENT NUMBER: MOA/PMU/IFAD/TCEP/NCB/GC-6/2019-2020

Date of Issuance: January 31, 2020

Pre-Bid Meeting February 18, 2010 at 2:00 PM Date of Bid Closing: February 27, 2010 at 2:00 PM

- 1. The Government of Liberia has received a loan from the International Fund for Agricultural Development (IFAD) to fund the Tree Crop Extension Project (TCEP). The Government intends to apply part of the proceeds of the TCEP loan for eligible payments under contract for Procurement of Tractor and its Implements.
- 2. The IFAD/PIU, Ministry of Agriculture now invites sealed bids from eligible and qualified bidders for the Procurement of Tractor and its Implements as follows:

Lot	Description	Specifications	Quantity	Destination
No.	of Item			
Lot 1	Tractor	Engine Power- 90Hp,	1	Monrovia
		Cylinder liners- Wet sleeved		
		Aspiration – Non-Turbo		
		Charging,		
		Displacement – 4 cylinders,		
		Engine Performance		
		At 2200 rpm		
		Rated PTO Power (hp SAE) – at		
		2200 rpm: 51kW 75PTO hp		
		Transmission		
		Type – Standard		
		Reverser – Yes		
		Clutch – dry,		
		Hydraulic System		
		Type- Open Center		
		Pump rated output-		
		Standard: 75.79 L/Min		
		20.02gpm		
		Available flow at a single		
		rear SCV – 47.44 L/min		
		12.54gpm		

		Joystick SCV control – 4wd:		
		FIK MFWD		
		3 Hydraulic connectors		
		intake and out take		
	Rear Hitch			
		Hitch draft control load		
		sense type – mechanical		
* ±		Remote control valves		
	available: Standard: 1; Optional: 2			
	•			
	Hitch category (SAE			
		designation) – Category 2:		
		convertible to 1		
	Sensing type – top link			
	Rear power take-off (PTO)			
	Type – Standard:			
		independent 540		
		Engine rpm (at rated PTO		
		speeds) – 540 at 1600		
		optional		
		PTO actuation – Mechanical		
		(Lever)		
		Front Balancing Weight		
		6x55kg		
		Rear Axle		
		Final drive type – Planetary		
		Differential controls –		
		mechanical (pedal)		
		Axle type – flanged		
		Brakes, type and controlled –		
		dry disc		
		Standard Tires		
		Front – 4wd: 12.4- R24		
		Rear – 4wd: 18.6 R30		
		Operation Station		
		Rollover protective structure,		
		OOS – Rigid – foldable –		
		Telescopic		
		Foldable, 2-post Platform –		
		flat/ straddle		
		Straddle Gear Shift location		
		console/ floor		
		Floor, on the side		
	Warranty – 5 years			
Lot 2	Tractor	Dimensions (I *W*H):	1	Monrovia
	Wagon – 10	Dimensions (L*W*H):		
	2700 2310 203011111			
	Weight. 23 ookgs			
		Features: flexible		

		T		1	
		Certification: ISO9001			
		Loading capacity: 10,000kgs			
		Twin Axle Tire size/qty: 900/1			
		Dead weight: 1500kgs			
		Unload form: hydraulic tipping			
		Brake: Mechanical parking bra			
		Matched power: 75-90hp			
		Backage: iron cage			
		Warranty: 5 years			
Lot 2	Diga Dlaugh		1	Monrovio	
Lot 3	Disc Plough Type- 3 disc tubular plough			1	Monrovia
	3 discs	Overall length- 1600mm			
		Overall width- 1321			
		Overall height – 1270mm			
		Number of discs – 3			
		Diameter of disc – 660mm			
		Depth of cut – 254mm			
		Total weight- 385kg			
Lot 4	Harrow- 3	16 Disc trailed 3 hitch harrow	VS	1	Monrovia
	Point hitch	Working width -76"			
		Blade spacing – 9"			
		Number of blades – 16			
		Blade size – 20" diameter			
		Blade thickness – 3.5mm -5.1n			
		Blade type- notched (front) / sr			
		(rear)			
		Frame tubing -3 " -4 " square			
		Gang tubing – 3" – 4" square			
		Bearing hanger – high strength			
		channel steel hangers with 5/8			
		plate			
		Bearing type – Self aligning se			
		bearing in pillow			
		Gang axle 1 1/8" square			
		Front gang angle - 13, 16, 19, 23			
T -4 5	Rear gang angles – 8, 11, 19, 23			1	Monrovia
Lot 5	Ridger	Application: to make water flo	W III	1	Monrovia
	small channels in the field				
		Number of Rows- 3			
		Blade type - furrow			
		Width – 760mm			
		Height – 880mm Length – 900 - 1200mm			
	Weight – 225kg (approx.)				
Lot 6	Furrow	Type		1	Monrovia
	plough	Reversible			
			SO9001:		
		2015			
		Working width:	000mm		
		Working depth: 2	280-		
		300mm			

		NI 1 C.1	(
		Number of shares:	6		
		Total weight:	580kg-		
		870kg			
		Matched power:	75-90hp		
		Linkage:	Three-		
		point suspensión			
		penit suspension	II type,		
		hydraulic output	п сурс,		
		inydraune output			
		(differentianal ail			
		(difunctional oil	1. 1)		
			cylinder),		
			oil connection in		
			1/2" thread		
Lot 7	Subsoiler	ISO Certification	9001:	1	Monrovia
		2015			
		Working width:	1500 mm		
		Working depth:	500 mm		
		No. of tines:	3		
		Total weight:	900 kg		
		Matched power:	65-100 hp		
		Linkage:	Three-		
		_	111166-		
		point suspension	TT 4		
		II type			
		Legs; to be equipped with shear bolts			
		safety system			

- 3. Bidding will be conducted through the National Competitive Bidding procedures as specified in IFAD's Procurement Handbook 2010 edition and Guidelines, and is open to all eligible bidders as defined in the Procurement Guidelines.
- 4. Interested eligible bidders may obtain further information from Program Management Unit, Ministry of Agriculture Annex, University of Liberia Campus, Fendell; Project Coordinator and inspect the bidding documents during office hours 0900 to 1600 hours, Monday through Friday at the address given below
- 5. A complete set of bidding documents in English will be sent to an interested and eligible bidder upon the submission of an electronic application to the address below. An electronic copy of the bidding document will be sent to each applicant free of charge only for those who submit written application letters. However, bidders are required to submit hard copies of their bids/submission to the address mentioned below. Electronic submission will not be accepted.
- 6. Bids must be delivered to the address below on or before February 27, 2020, **at 2:00** PM. Bid opening will be on the same day of February 27, 2020 at **2:00** PM. Electronic bidding will not be permitted. Late bids will be rejected. Bids will be publicly opened in the presence of the bidders' designated representatives and anyone who choose to attend at the address below.
- 7. All bids must be accompanied by the following listed below:

- i. A bid security amount of 2% of the bid price and must be in the form of a Bank Guarantee
- ii. A copy of a valid business registration certificate.
- iii. A copy of current tax clearance certificate from Government of Liberia.
- iv. A copy of the PPCC's Vendor Registration Form(VRF) Receipt
- v. Experience and Technical capacity of bidder in similar transactions.
- vi. Manufacture's Authorization (if the supplier is not the manufacturer)
- 8. For any further clarification, please contact:

Attn: Project Coordinator
P.O. Box 10-9010
0775901977
evah@moa.gov.lr
Program Management Unit
Ministry of Agriculture Annex
Old L.P.R.C Road, Gardnerville, Somalia Drive
Montserrado County, Liberia