Project number	Project Title	Summary	Applicant requirements
1	Exploring the role of grasses and associated fungal species in oviposition site selection of malaria vector mosquitoes	The development of vector control and monitoring tools that target malaria mosquitoes outside houses and tools that are not insecticide-based have been prioritised by all major funding organisations and the World Health Organization to close the currently existing control gap (i.e. exophilic vector populations, insecticide resistant populations). Targeting oviposition site-seeking mosquitoes using odour cues would provide such a tool. Recent pioneering work implemented at <i>icipe</i> suggests that olfactory cues released from grasses, specifically grasses characteristic for wetlands, directly or indirectly through association with fungi might be used by gravid malaria mosquitoes in search for egg-laying sites. This project aims to investigate the relationship between swamp grasses, associated fungi and oviposition site selection of malaria vectors in the laboratory, semi-field and field. The PhD candidate will develop skills in medical entomology, behavioural and chemical ecology and microbiology.	MSc degree with distinction in Biological Sciences or related subject. A strong background in medical entomology and independent research experience is desirable. Basic microbiology skills would be beneficial. The project work will require modification of trapping tools and manual technical skills, and therefore imagination and creative ability are highly desirable.
2	Design of new tools for tomato protection against <i>Tuta absoluta</i> based on semiochemicals to reduce pest oviposition and to attract parasitoids/predators	Tomato, which is the most widely grown market garden crop in the world, is threatened by an invasive insect pest in Africa: <i>Tuta absoluta</i> . Currently, the most common method to control the pest is the application of pesticides. The development of effective control methods that reduce the reliance of pesticide use is a major goal and challenge for modern agriculture. Semiochemicals offer a new strategy for crop protection, although the semiochemicals that lead to <i>T. absoluta</i> attraction and oviposition on tomato are little known. This PhD project will investigate the chemical interactions between <i>T. absoluta</i> , the tomato plant and parasitoids/predators to design a new crop protection strategy. The project aims to identify the tomato volatiles that attract <i>T. absoluta</i> and the chemical cues that lead to oviposition behavior. Then the <i>T. absoluta</i> induced tomato volatiles will be identified and tested as repellents for <i>T. absoluta</i> and as attractants for its predator <i>Nesidiocoris tenuis</i> and one specific parasitoid.	MSc in Biology, with experience in insect sciences. A good command of the English language (written & spoken) is essential, and ability to also communicate in French would be an added advantage.
3	Pre- and post- release evalution of <i>Dolichogenidea</i> gelechiidivoris (Marsh) for suppression of <i>Tuta absoluta</i> (Meyrick)	Despite the socio-economic significance of tomato as a food and cash crop, its production in Africa is limited by numerous constraints. Ranking high among them is the invasion and widespread distribution of <i>Tuta absoluta</i> that has devastated tomato production and related industries. Alarmed at its devastating impact, tomoato growers in Africa have resorted to indiscriminate use of broad spectrum insecticides. This is likely to lead to the development of insecticide resistance. Being an alien invasive pest, it seems it is lacking an efficient resident parasitoid. A co-evolved and very promising parasitoid, <i>Dolichogenedia gelichidivoris</i> , was identified in Peru and its introduction into Kenya is planned. Therefore, this study aims to assess the performance of this parasitoid on <i>T. absoluta</i> and subsequent release for <i>T. absoluta</i> suppression. Also interaction with the indigenous parasitoid fauna and non-target effects will be evaluated. Furthermore, a follow-up assessment for establishment of this parasitoid in tomato agro-ecologies in Kenya and prediction of potential establishment in other African countries and globally will be undertaken.	BSc degree in Agriculture/Biological Sciences and MSc graduate in Agricultural Entomology preferred.

4	Identification of effectors	Root knot nematodes (RKN) are sedentary endoparasitic nematodes that infect the plant	MSc in Organic Chemistry and
	and allelochemicals	root system causing galls that inhibit plant nutrient and water acquisition for successful	experience in spectroscopic methods.
	regulating root knot	growth and development. The infective second stage juvenile (J2) must seek a host before	Previous experience working with
	nematode parasitism	its lipid reserves are depleted. The J2 produces secretions that act as effectors that weaken	nematodes will be an added advantage.
	·	the plant defense systems in susceptible plants. In antagonistic plants such as the	
		Asteraceous species, the roots produce allelochemicals that suppress parasitism of root	
		knot nematodes. Recent studies at <i>icipe</i> have established that plant released compounds	
		influence the host seeking behavior of RKN. This project aims to investigate the role of	
		effectors and allelochemicals regulating root knot nematode parasitism in laboratory and	
		screen house experiments. The PhD candidate will develop skills in chemical ecology,	
		analytical chemistry and molecular biology.	
5	One Health approach to	Emerging viral pathogens are of global public health concern, with novel and re-emerging	MSc in Entomology, Molecular Biology,
	vector biology and arbovirus	pathogens encountered with increasing frequency. Many of these are zoonotic in nature,	Virology or Immunology, with relevant
	epidemiology in smallholder	having an animal origin. This project will investigate the natural history of arthropod borne	experience in field epidemiology.
	livestock systems	viruses (arboviruses) in domestic cattle, mosquito and tick vectors and (to a limited degree)	
		in humans in western Kenya, where several viruses of medical and veterinary importance	
		occur. These viruses are a constraint to both livestock production and human health. This	
		project will be multidisciplinary, involving both laboratory-based entomological and disease	
		identifications and epidemiological analyses. With a focus on vector ecology and virus	
		epidemiology, the project will provide the candidate with important skills for research on	
		emerging arboviruses and their transmission. The hypothesis is that virus transmission	
		occurs in densely populated smallholder livestock production systems with domestic	
		livestock as a reservoir community. Using molecular- and sero-surveillance approaches, the	
		project will determine the most important vectors of zoonotic pathogens and their livestock	
		reservoirs in this part of western Kenya, where a large diversity of potential arbovirus	
		vectors have recently been identified and high sero-prevalence rates in humans have been	
		detected. The study will capitalize on large-scale field activities funded by the UK BBSRC/	
6	Development of effective	UK DFID.  Whiteflies such as <i>Bemisia tabaci</i> (Gennadius) and <i>Trialeurodes vaparariorum</i> (Westwood)	MSc in Crop Protection/Entomology or
О	biopesticides for	are key constraints to productivity of vegetables such as tomato and French bean in Africa.	Applied Microbiology with specialisation
	management of pesticide	Management of these pests are largely by use of pesticides, although with little benefit as	in insect pathology
	resistant strains of whiteflies	whiteflies are highly resistant to various classes of pesticides. Cryptic feeding behavior of	in insect pathology
	infesting vegetables in East	the pest and presence of cuticular waxes hinders access by contact pesticides resulting in	
	Africa	high dependence on systemic insecticides with negative environmental effects.	
	Arrica	Entomopathogenic and endophytic fungal biopesticides targeting the adult and nympal	
		stages of whiteflies can be effective alternatives to pesticides in the management of	
		whiteflies. Efficacy of these biopesticides could be enhanced through development of	
		potent formulation and innovative application strategies. This project will focus on	
		identifying effective entomopathogenic and endophytic biopesticides, development of	
		effective formulations and innovative application strategies for effective management of	
		whiteflies infesting vegetables in the East Africa.	

7	Development of biopesticides for below ground pest and nematode constraints of banana in East Africa	Banana contributes to the daily source of calories for more than one billion people globally and is a key food and export crop in Africa. Productivity of banana is often severely constrained by several below ground insect pests, nematodes and pathogens. Management of these constraints, if any, are largely pesticide based, while resource poor farmers often leave the crop unmanaged leading to severe yield losses. The root zones of banana provide an environment conducive for the activity of various beneficial microorganisms such as entomopathogenic fungi, nematodes and endophytic organisms. Such beneficial organisms hold potential to be developed as key components of pest management of below ground pests of banana. This project will focus on bioprospecting for potential biopesticides from the root zones of banana, assess their efficacy against key pests such as banana weevil and plant parasitic nematodes, assess systemic resistance induced by these biopesticides, assess the compatibility between the different biopesticides and pesticides to develop a microbial	MSc in Crop Protection/Entomology/Nematology or Applied Microbiology with specialisation in insect pathology
8	Epidemiology of coffee pathosystem in the smallholder context on the Aberdare range, Kenya: modeling the impact of agroecological factors for	consortium that effectively targets multiple below ground pest constraints of banana.  The very low level of coffee productivity observed in smallholder farmers of Kenya's Central Region is often explained by the poor implementation of good agricultural practices. The main objective of the present research is to contribute to the improvement of cropping recommendations for pest and disease (P&D) control on coffee. More specifically, the research will assess and map the main coffee P&D in Murang'a county on the Aberdare range. Models will be developed connecting P&D dynamics to relevant agroecological	The student should have basic skills in field work and should be able to quickly communicate with smallholder coffee farmers of Central Kenya (at least, the Kiswahili language is needed). Computer skills are critical and the student should
	coffee pest and disease dynamic prediction	factors such as climate, microclimate, shade, land cover, farmer practices, soil and topography, in order (i) to explain the current P&D distribution and severity and (ii) to predict coffee pathosystem evolution during the coming decades according to the current climate change simulation. These models will help develop recommendations based on phytosanitary risk for a better management of coffee P&D on the Aberdare range.	be experienced in remote sensing, GIS tools and modelling.
9	Development of insect- based compost for sustainable soil health management using by- products from insect mass rearing for food and feed	Insects are increasingly being considered for use as food and feed worldwide. Indeed, recent studies have revealed that insect based feeds can outperform conventional feeds in livestock production. However, for insects to become a major protein source across Africa, millions of metric tons of dry insect material is required, which can only be achieved when considerable volumes of rearing substrates are used. Insects are reared on various wastes including livestock, industrial and farm organic wastes. The rapidly degrading soil quality across the continent, occasioned by decreasing soil organic matter and increasing soil acidification offers an opportunity for the use of waste from insect rearing for soil health improvement through promoting wide spread use of insect degraded substrates as soil amendment. The proposed study aims at developing and assessing the physical, chemical and microbial qualities of composts obtained through insect mass rearing as well as their performance on different crop and soil types for wider application.	MSc in Agronomy or Soil Sciences with some experience in soil fertility, soil microbiology and soil chemistry. Preferentially, with a BSc with a broader basis such as Agricultural Sciences.

10	Assessment of sand fly plant	Control of sand flies remains a priority as they pose a significant public health threat in	MSc in Medical Entomology/Organic
10	feeding behaviour in Baringo	many parts of the world, transmitting the agents of several zoonotic and parasitic diseases	Chemistry with experience in molecular
	County, an endemic area for	to humans. Efficient vectoring role of sand flies is enhanced by specific biological and	biology.
	leishmaniasis and	behavioral characteristics that may be targeted by control measures to limit pathogen	blology.
	arboviruses in Kenya	spread or vector abundance. This study will specifically examine sand fly plant feeding	
		behaviour that is olfactory-driven and exploited for sugars and other metabolites. The	
		hypothesis that selective utilisation of plants occurs in sand flies will be tested, focusing on	
		selected species of Phlebotomus and Sergentomyia, with objectives to (1) identify host	
		plant feeding sources in field trapped specimens; (2) evaluate the nutritional impact of the	
		identified plants on sand fly survival; (3) isolate and identify odours they detect from the	
		plants, and develop lures to maximise their attraction in field studies.	
11	Characterisation of	Arboviruses constitute an emerging public health threat, some of which are associated with	MSc degree with distinction in Biological
	unidentified mosquito-borne	human disease ranging from mild febrile illness to encephalitis and even death. Surprisingly,	Sciences or related subject. A strong
	viral isolates and assessment	a majority of these infections is poorly diagnosed in Africa, which obscures the assessment	background in medical
	of their public health	of their potential impact on public health. Next generation sequencing (NGS) is increasingly	entomology/virology and exposure to
	potential	being applied to identify viruses and even discover novel ones that are missed by	bioinformatics is desirable.
		conventional diagnostic methods such as serology, cell culture, or nucleic acid-based	
		testing. This study will apply NGS to identify and characterise virus isolates from mosquito	
		homogenates that could not be identified using conventional diagnostic methods. To gain	
		insights into possible reservoirs or host range of these virus agents, growth kinetics on a	
		range of cell lines from different species will be performed. Also, possible exposure of the	
		viruses to humans will be assessed using archived serum samples collected from patients	
		with febrile illness from areas where the viruses are detected. Significant insights that are	
		important for risk assessment of arboviruses will be gained through this PhD project, plus	
		the development of appropriate technologies for their diagnosis.	
12	Development of microbe-	Pollinators, including honeybees, have a major impact on food security worldwide. Their	Knowledge of insect physiology,
	based strategies for	significant population decline, often linked to phenomenon known as colony collapse	microbiology, and molecular techniques
	improved bee health	disorder (CCD), has been raising alarm worldwide. CCD has been linked to numerous biotic	(qPCR, HRM, PCR, 16S sequencing).
	·	and abiotic environmental changes. There is increasing appreciation for the role of	Experience in Next Gen Sequencing
		symbiotic microbes in adaptation to novel environmental conditions. So-called "infectious	technique and data analysis is an
		adaptation" involves the acquisition of novel traits from novel hosts and occurs much more	advantage. Soft skills: motivated,
		rapidly than "classical" Darwinian evolution. Bee gut microbiota play an important role in	energetic, perseverant and problem
		many aspects of bee biology and health. They are known to be important for digestion and	solving oriented.
		protection against parasites. By investigating gut microbial diversity and the nature of	
		specific interactions between microbes and bee fitness, we plan to lay the foundations for	
		microbe-based strategies for improved bee health management. With the obtained data we	
		plan to: (1) Guide the development of probiotics for increased hive resistance; (2) Gain a	
		better understanding of the distribution of bee diseases and improved risk mapping.	
		better understanding of the distribution of bee diseases and improved fisk mapping.	

13	Analysing the possibility to	The value of maize lost due to Striga is at least US\$ 1.2 billion each year. Small-scale farmers	Knowledge and practical experience in
	monitor Striga weed	are mostly affected, especially if fields are left uncontrolled and Striga infestation occurs	geo-spatial data analysis, GIS and
	infestation levels in eastern	together with other productivity constraints. Striga weed infestation can be controlled with	remote sensing, statistics, crop sciences
	Africa using space-borne and	the push-pull technology. Push-pull is a simple cropping strategy that simultaneously	and agronomy
	in situ time-series	addresses a number of key constraints of cereal–livestock mixed production systems in	
	observations	Africa, including the parasitic weed Striga. To have the most impact, push-pull must be	
		widely adopted at Striga infestation 'hot spot' sites and containment areas. This study will	
		investigate remote sensing tools and landscape scale modelling tools to map the abundance	
		and distribution of Striga weeds in Kenya and Tanzania. The landscape study will specifically	
		investigate the use of very high-resolution space-borne sensors to monitor the flowering	
		Striga signal and plot level texture related to Striga infestations. The created explicit data	
		sets will be used in the regional upscaling of the push-pull technology to priority areas.	